

View Online at <https://aerobasegroup.com/nsn/4820-00-032-8461>

Body Material:

Aluminum alloy

Outside Surface Treatment:

Any acceptable

Body Style:

Tee

Media For Which Designed:

Hydraulic fluid, petroleum base

First End Connection Type:

Threaded internal tube

First End Style Designator:

Inverted flare

First End Outside Diameter Tube Accommodated:

0.375 inches

First End Thread Size And Series/type Designator:

9/16-18 unf

First End Thread Class:

2b

First End Thread Direction:

Right-hand

Second End Relationship With First End:

Identical

Third End Relationship With Preceding Ends:

Not identical with first or second end

Third End Connection Type:

Threaded external tube

Third End Style Designator:

Flared

Third End Outside Diameter Tube Accommodated:

0.375 inches

Third End Thread Size And Series/type Designator:

9/16-18 unf

Third End Thread Class:

2a

Third End Thread Direction:

Right-hand

Seat Material:

Steel

First End Seat Angle In Deg:

60.0

Third End Seat Angle In Deg:

37.0

Flow Control Device:

Cone, top guided

Flow Control Device Material:

Steel

End Connection Quantity:

3

Renewable Seat Ring Type:

Threaded

Outlet Pressure Range:

+1200.0 to 1300.0 pounds per square inch

Regulation Type:

Automatic single stage

Valve Stem Design:

Single seat

Valve Loading Method:

Spring

Maximum Inlet Pressure Rating:

3000.0 pounds per square inch

Filter:

Not included

Special Features:

3.5 gpm maximum flow capacity at maximum rated inlet and outlet pressure

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A21100