## NSN 4820-00-044-3891

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-044-3891

Pipe Size Accommodated:
0.500 inches 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Stem or disk
Bonnet Type:
Inside spring
<b>Bonnet Attachment Method:</b>
Pressure seal, ring type
Disk Loading Method:
Spring
Valve Discharge Flow Rate:
64.0 cubic feet per minute
Connection Style:
Plain (pipe) 1st end
Valve Operation Method:
Manual
Connection Type:
Threaded external pipe 1st end
Thready Qty Per Inch (tpi):
14 1st end
Adjustable Pressure Range:
+500.0 to 4000.0 pounds per square inch
Thread Size:
0.500 inches all ends
Opening Pressure Setting:
500.0 pounds per square inch
Material:
Stainless steel seat
Media For Which Designed:
Gas, natural 2nd response
Style Designator:
Angle
Thread Series Designator:
Npt 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

## NSN 4820-00-044-3891

Safety Relief Valve - Page 2 of 2



Fiig:

A046b0