# NSN 4820-00-045-5077

Stop-check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-045-5077

# Pipe Size Accommodated:

0.750 inches 1st end

# **Flow Control Device:**

Disk

# Bonnet Type:

Inside screw

# **Bonnet Attachment Method:**

Threaded

# **Disk Loading Method:**

Weight

# Renewable Seat Ring Type:

Threaded

# Maximum Operating Temp:

150.0 degrees fahrenheit single response

#### **End Application:**

Sturgeon class ssn (637); combat system support equipment

#### **Connection Style:**

Socket (pipe) 1st end

# Valve Operation Method:

Manual

# Connection Type:

Unthreaded internal pipe 1st end

#### Mounting Position:

Vertical

### **Features Provided:**

Bonnet packing

# Maximum Operating Pressure:

700.0 pounds per square inch single response

#### Material:

Plastic flow control device

#### Media For Which Designed:

Water-oil-gas single response

#### Style Designator:

Angle

#### Test Data Document:

96169-2620-902assyf3/4 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

#### Shelf Life:

N/a

# Unit Of Measure:

---

### Demilitarization:

No

# NSN 4820-00-045-5077

Stop-check Valve - Page 2 of 2

**Fiig:** A530b0

