NSN 4820-00-051-9378

Safety Relief Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-00-051-9378

Pipe Size Accommodated:
0.250 inches 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Poppet
Disk Loading Method:
Spring
Maximum Operating Temp:
250.0 degrees fahrenheit 4th response
Connection Style:
Plain (pipe) 1st end
Valve Operation Method:
Manual
Connection Type:
Threaded external pipe 1st end
Maximum Operating Pressure:
200.0 pounds per square inch 4th response
Thread Size:
0.250 inches 1st end
Seat Angle:
Seat Angle: 45.0 degrees 1st end
-
45.0 degrees 1st end
45.0 degrees 1st end Opening Pressure Setting:
45.0 degrees 1st end Opening Pressure Setting: 25.0 pounds per square inch
45.0 degrees 1st end Opening Pressure Setting: 25.0 pounds per square inch Material:
45.0 degrees 1st end Opening Pressure Setting: 25.0 pounds per square inch Material: Aluminum alloy
45.0 degrees 1st end Opening Pressure Setting: 25.0 pounds per square inch Material: Aluminum alloy Media For Which Designed:
45.0 degrees 1st end Opening Pressure Setting: 25.0 pounds per square inch Material: Aluminum alloy Media For Which Designed: Ammonia, liquid 3rd response
45.0 degrees 1st end Opening Pressure Setting: 25.0 pounds per square inch Material: Aluminum alloy Media For Which Designed: Ammonia, liquid 3rd response Style Designator:
45.0 degrees 1st end Opening Pressure Setting: 25.0 pounds per square inch Material: Aluminum alloy Media For Which Designed: Ammonia, liquid 3rd response Style Designator: Straight thru
45.0 degrees 1st end Opening Pressure Setting: 25.0 pounds per square inch Material: Aluminum alloy Media For Which Designed: Ammonia, liquid 3rd response Style Designator: Straight thru Thread Series Designator:
45.0 degrees 1st end Opening Pressure Setting: 25.0 pounds per square inch Material: Aluminum alloy Media For Which Designed: Ammonia, liquid 3rd response Style Designator: Straight thru Thread Series Designator: Npt 1st end
45.0 degrees 1st end Opening Pressure Setting: 25.0 pounds per square inch Material: Aluminum alloy Media For Which Designed: Ammonia, liquid 3rd response Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life:
45.0 degrees 1st end Opening Pressure Setting: 25.0 pounds per square inch Material: Aluminum alloy Media For Which Designed: Ammonia, liquid 3rd response Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life: N/a
45.0 degrees 1st end Opening Pressure Setting: 25.0 pounds per square inch Material: Aluminum alloy Media For Which Designed: Ammonia, liquid 3rd response Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life: N/a
45.0 degrees 1st end Opening Pressure Setting: 25.0 pounds per square inch Material: Aluminum alloy Media For Which Designed: Ammonia, liquid 3rd response Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life: N/a Unit Of Measure:
45.0 degrees 1st end Opening Pressure Setting: 25.0 pounds per square inch Material: Aluminum alloy Media For Which Designed: Ammonia, liquid 3rd response Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life: N/a Unit Of Measure: Demilitarization: