

View Online at <https://aerobasegroup.com/nsn/4820-00-052-3450>

Flow Control Device:

Disk

Bonnet Type:

Inside screw

Bonnet Attachment Method:

Threaded

Bolt Hole Quantity:

6 all ends

Maximum Operating Temp:

425.0 degrees fahrenheit single response

Valve Operation Method:

Manual

Flange Shape:

Round with holes all ends

Connection Type:

Flange all ends

Features Provided:

Valve stem lock shield and bonnet packing

Valve Size:

1.500 inches

Maximum Operating Pressure:

100.0 pounds per square inch single response

Outside Diameter:

5.062 inches all ends

Face To Face Distance:

6.750 inches

Thickness:

0.062 inches all ends

Bolt Hole Diameter:

0.562 inches all ends

Bolt Circle Diameter:

3.938 inches all ends

Flange Face Design:

Plain all ends

Special Features:

Cid no. 882035517; stop-check type valve

Material:

Nickel alloy flow control device

Media For Which Designed:

Water-oil-gas 2nd response

Style Designator:

Straight through flanged ends

Reference Number Differentiating Characteristics:

As differentiated by style

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0