

View Online at <https://aerobasegroup.com/nsn/4820-00-055-5114>

Thread Class:

3b all ends

Thread Direction:

Right-hand all ends

Flow Control Device:

Poppet

Disk Loading Method:

Spring

Valve Discharge Flow Rate:

3.5 gallons per minute

Maximum Operating Temp:

275.0 degrees fahrenheit single response

Connection Style:

Gasket sea (boss) all ends

Valve Operation Method:

Automatic

Connection Type:

Threaded internal boss all ends

Features Provided:

Pressure tight outlet side

Thready Qty Per Inch (tpi):

18 all ends

Maximum Operating Pressure:

275.0 pounds per square inch single response

Thread Size:

0.562 inches all ends

Opening Pressure Setting:

240.0 pounds per square inch

Outside Diameter Tube Accommodated:

0.375 inches all ends

Material:

Stainless steel flow control device

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625 military specification single treatment response

Style Designator:

Straight thru

Thread Series Designator:

Unf all ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0

Mil-std (military Standard):

Mil-a-8625 spec.