

View Online at <https://aerobasegroup.com/nsn/4820-00-055-9697>

**Flow Control Device:**

Plug

**Bonnet Type:**

Outside screw-yoke

**Bonnet Attachment Method:**

Bolted

**Bolt Hole Quantity:**

4 1st end

**Maximum Operating Temp:**

500.0 degrees fahrenheit single response

**Valve Operation Method:**

Manual

**Flange Shape:**

Round with holes 1st end

**Connection Type:**

Flange 1st end

**Features Provided:**

Bonnet packing

**Maximum Operating Pressure:**

150.0 pounds per square inch single response

**Outside Diameter:**

5.000 inches 1st end

**Thickness:**

0.562 inches 1st end

**First Connection Face To Centerline Distance:**

3.250 inches

**Bolt Hole Diameter:**

0.625 inches 1st end

**Second Connection Face To Centerline Distance:**

3.250 inches

**Bolt Circle Diameter:**

3.875 inches 1st end

**Flange Face Design:**

Plain 1st end

**Special Features:**

Semi-plug, top guided

**Material:**

Steel seat

**Material Specification:**

Astm a351, gr cf8m assn standard single material response seat

**Media For Which Designed:**

Water-oil-gas single response

**Surface Treatment:**

Passivate

**Style Designator:**

Angle flanged ends

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A046b0