## NSN 4820-00-056-8148

Globe Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-056-8148

Flow Control Device:
Disk
Bonnet Type:
Outside screw-yoke
Bonnet Attachment Method:
Bolted
Bolt Hole Quantity:
8 1st end
Maximum Operating Temp:
850.0 degrees fahrenheit single response
Valve Operation Method:
Manual
Flange Shape:
Round with holes 1st end
Connection Type:
Flange 1st end
Features Provided:
Bonnet packing
Valve Size:
3.000 inches
Maximum Operating Pressure:
600.0 pounds per square inch single response
Outside Diameter:
8.250 inches 1st end
Face To Face Distance:
14.000 inches
Thickness:
0.875 inches 1st end
Bolt Hole Diameter:
0.875 inches 1st end
Bolt Circle Diameter:
6.625 inches 1st end
Flange Face Design:
Raised straight 1st end
Raised Face Height:
0.250 inches 1st end
Raised Face Diameter:
5.000 inches
Special Features:
3.000 in. Nom pipe size
Material:
Steel

## NSN 4820-00-056-8148

Globe Valve - Page 2 of 2



	۷	edia	For	Which	Design	ed:
--	---	------	-----	-------	--------	-----

Steam single response

Style Designator:

Straight through flanged ends

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A046b0