

View Online at <https://aerobasegroup.com/nsn/4820-00-059-4678>

**Flow Control Device:**

Disk

**Bonnet Type:**

Exposed spring

**Bonnet Attachment Method:**

Bolted

**Disk Loading Method:**

Spring

**Valve Discharge Flow Rate:**

71616.0 pounds per hour

**Bolt Hole Quantity:**

8 2nd end

**Valve Operation Method:**

Automatic

**Flange Shape:**

Round with holes 2nd end

**Connection Type:**

Flange 2nd end

**Maximum Operating Pressure:**

550.0 pounds per square inch single response

**Opening Pressure Setting:**

525.0 pounds per square inch

**Outside Diameter:**

9.000 inches 2nd end

**Bolt Hole Diameter:**

1.125 inches 1st end

**Bolt Circle Diameter:**

7.500 inches 2nd end

**Flange Face Design:**

Raised straight 2nd end

**Raised Face Height:**

0.062 inches 2nd end

**Raised Face Diameter:**

7.312 inches 1st end

**Special Features:**

Duplex valve, two safety valves mtd in onebody, 1st connection face to centerline distance9.000 in., 2nd connection face to centerlinedistance 6.625 in.

**Material:**

Steel stem

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A046b0