# NSN 4820-00-060-8099

Vacuum Breaking Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-060-8099

### **Body Material:**

Aluminum alloy, qq-a-200/3, alloy 2024, t4

### **Outside Surface Treatment:**

Anodized

# Body Style:

Single connection, straight flow

#### **Tempurature Rating:**

500.0 degrees fahrenheit

#### Media For Which Designed:

Oxygen, gaseous err-100 err-100

#### First End Connection Type:

Threaded external boss

#### First End Style Designator:

External seat for gasket seal

#### First End Thread Size And Series/type Designator:

0.562-18 unf

#### First End Thread Class:

3a

#### First End Thread Direction:

**Right-hand** 

#### Seat Material:

Rubber, synthetic

#### **Flow Control Device:**

Poppet

#### Flow Control Device Material:

Aluminum alloy, qq-a-200/3, alloy 2024, t4

#### **End Connection Quantity:**

1

#### Tempurature Adjustability:

Not adjustable

#### **Absolute Pressure Setting:**

4.5

# Test Data Document:

49956-381mt160 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Fsc Application Data:**

Guided missileremote control system

# Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

# NSN 4820-00-060-8099

Vacuum Breaking Valve - Page 2 of 2

**Fiig:** A07100

