NSN 4820-00-063-3300

Check Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-00-063-3300

Pipe Size Accommodated:
1.250 inches 2nd end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Poppet
Disk Loading Method:
Spring
Maximum Operating Temp:
2000.0 degrees fahrenheit 1st response
Connection Style:
Plain, optional end (pipe) 1st end
Valve Operation Method:
Automatic
Connection Type:
Threaded internal pipe 1st end
Mounting Position:
Horizontal or vertical
Thready Qty Per Inch (tpi):
11-1/2 2nd end
Maximum Operating Pressure:
Maximum Operating Pressure: 3000.0 pounds per square inch 2nd response
3000.0 pounds per square inch 2nd response
3000.0 pounds per square inch 2nd response Thread Size:
3000.0 pounds per square inch 2nd response Thread Size: 1.250 inches 2nd end
3000.0 pounds per square inch 2nd response Thread Size: 1.250 inches 2nd end Material:
3000.0 pounds per square inch 2nd response Thread Size: 1.250 inches 2nd end Material: Stainless steel flow control device
3000.0 pounds per square inch 2nd response Thread Size: 1.250 inches 2nd end Material: Stainless steel flow control device Media For Which Designed:
3000.0 pounds per square inch 2nd response Thread Size: 1.250 inches 2nd end Material: Stainless steel flow control device Media For Which Designed: Oil, hydraulic 1st response
3000.0 pounds per square inch 2nd response Thread Size: 1.250 inches 2nd end Material: Stainless steel flow control device Media For Which Designed: Oil, hydraulic 1st response Style Designator:
3000.0 pounds per square inch 2nd response Thread Size: 1.250 inches 2nd end Material: Stainless steel flow control device Media For Which Designed: Oil, hydraulic 1st response Style Designator: Straight thru
3000.0 pounds per square inch 2nd response Thread Size: 1.250 inches 2nd end Material: Stainless steel flow control device Media For Which Designed: Oil, hydraulic 1st response Style Designator: Straight thru Thread Series Designator:
3000.0 pounds per square inch 2nd response Thread Size: 1.250 inches 2nd end Material: Stainless steel flow control device Media For Which Designed: Oil, hydraulic 1st response Style Designator: Straight thru Thread Series Designator: Npt 1st end
3000.0 pounds per square inch 2nd response Thread Size: 1.250 inches 2nd end Material: Stainless steel flow control device Media For Which Designed: Oil, hydraulic 1st response Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life:
3000.0 pounds per square inch 2nd response Thread Size: 1.250 inches 2nd end Material: Stainless steel flow control device Media For Which Designed: Oil, hydraulic 1st response Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life: N/a
3000.0 pounds per square inch 2nd response Thread Size: 1.250 inches 2nd end Material: Stainless steel flow control device Media For Which Designed: Oil, hydraulic 1st response Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life: N/a
3000.0 pounds per square inch 2nd response Thread Size: 1.250 inches 2nd end Material: Stainless steel flow control device Media For Which Designed: Oil, hydraulic 1st response Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life: N/a Unit Of Measure:
3000.0 pounds per square inch 2nd response Thread Size: 1.250 inches 2nd end Material: Stainless steel flow control device Media For Which Designed: Oil, hydraulic 1st response Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life: N/a Unit Of Measure: Demilitarization: