NSN 4820-00-063-7404

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-063-7404

Pipe Size Accommodated:
2.000 inches 2nd end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Disk
Bonnet Type:
Inside spring
Bonnet Attachment Method:
Threaded
Disk Loading Method:
Spring
Maximum Operating Temp:
250.0 degrees fahrenheit single response
Connection Style:
Plain, optional en (pipe) all ends
Valve Operation Method:
Manual
Connection Type:
Threaded internal pipe 2nd end
Features Provided:
Bonnet packing
Thready Qty Per Inch (tpi):
11-1/2 2nd end
Maximum Operating Pressure:
125.0 pounds per square inch single response
Thread Size:
2.000 inches 2nd end
Opening Pressure Setting:
125.0 pounds per square inch
Material:
Steel stem
Media For Which Designed:
Water, fresh single response
Style Designator:
Angle
Thread Series Designator:
Npt 1st end
Shelf Life:
N/a
Unit Of Measure:

--

NSN 4820-00-063-7404

Safety Relief Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A046b0