

View Online at <https://aerobasegroup.com/nsn/4820-00-089-7671>

Pipe Size Accommodated:

0.750 inches

Bonnet Type:

Inside screw

Bonnet Attachment Method:

Threaded

Valve Operation Method:

Manual

Features Provided:

Bonnet packing

Maximum Operating Pressure And Media For Which Designed:

200.0 pounds per square inch steam and 400.0 pounds per square inch water-oil-gas and 150.0 pounds per square inch water, salt

Stem Type:

Rising

Maximum Operating Temperature And Media For Which Designed:

425.0 degrees fahrenheit steam and 150.0 degrees fahrenheit water-oil-gas and 150.0 degrees fahrenheit water, salt

Special Features:

Valve size 0.750, w/o preinserted brazing rings

Material:

Nickel alloy disk

Material Specification:

Qq-c-390 federal specification single material response body

Test Data Document:

80064-810-1385714revi drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Furnished Items And Quantity:

2 nut and 2 tailpiece

Reference Number Differentiating Characteristics:

As differentiated by valve size 3/4 in.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A500a0