

View Online at <https://aerobasegroup.com/nsn/4820-00-102-2697>

**Thread Class:**

3a all ends

**Thread Direction:**

Right-hand all ends

**Flow Control Device:**

Disk

**Maximum Operating Temp:**

400.0 degrees fahrenheit single response

**Connection Style:**

Flared (tube) all ends

**Valve Operation Method:**

Automatic

**Connection Type:**

Threaded external tube all ends

**Mounting Position:**

Vertical

**Thready Qty Per Inch (tpi):**

12 all ends

**Maximum Operating Pressure:**

350.0 pounds per square inch single response

**Thread Size:**

1.312 inches all ends

**Seat Angle:**

37.0 degrees all ends

**Outside Diameter Tube Accommodated:**

1.000 inches all ends

**Material:**

Aluminum alloy seat

**Material Specification:**

Mil-r-25897, type 2, class 1 military specification 2nd material response flow control device

**Media For Which Designed:**

Hydraulic fluid, silicate-ester base 3rd response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, type 2 military specification single treatment response

**Style Designator:**

Straight thru

**Thread Series Designator:**

Un all ends

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A530b0

**Mil-std (military Standard):**

Mil-r-25897 spec.