

View Online at <https://aerobasegroup.com/nsn/4820-00-102-2697>

Thread Class:

3a all ends

Thread Direction:

Right-hand all ends

Flow Control Device:

Disk

Maximum Operating Temp:

400.0 degrees fahrenheit single response

Connection Style:

Flared (tube) all ends

Valve Operation Method:

Automatic

Connection Type:

Threaded external tube all ends

Mounting Position:

Vertical

Thready Qty Per Inch (tpi):

12 all ends

Maximum Operating Pressure:

350.0 pounds per square inch single response

Thread Size:

1.312 inches all ends

Seat Angle:

37.0 degrees all ends

Outside Diameter Tube Accommodated:

1.000 inches all ends

Material:

Aluminum alloy seat

Material Specification:

Mil-r-25897, type 2, class 1 military specification 2nd material response flow control device

Media For Which Designed:

Hydraulic fluid, silicate-ester base 3rd response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 2 military specification single treatment response

Style Designator:

Straight thru

Thread Series Designator:

Un all ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A530b0

Mil-std (military Standard):

Mil-r-25897 spec.