NSN 4820-00-119-0516

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-119-0516 **Thread Class:** 3a all ends **Thread Direction:** Right-hand all ends Flow Control Device: **Poppet Disk Loading Method:** Spring **Maximum Operating Temp:** 160.0 degrees fahrenheit single response **Connection Style:** External seat for gasket seal (boss) all ends **Valve Operation Method:** Automatic **Connection Type:** Threaded external boss all ends **Mounting Position:** Horizontal or vertical **Maximum Operating Pressure:** 200.0 pounds per square inch single response **Thread Size:** 0.562 inches all ends Seat Angle: 37.0 degrees all ends Material: Aluminum alloy **Material Specification:** Qq-a-225/5, alloy 2017 federal specification all material responses Media For Which Designed: Carbon dioxide single response **Surface Treatment:** Anodize **Surface Treatment Specification:** Mil-a-8625, type 1 military specification single treatment response **Style Designator:** Straight thru **Thread Series Designator:** Unf all ends Shelf Life:

N/a **Unit Of Measure:**

NSN 4820-00-119-0516

Check Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A530b0

Mil-std (military Standard):

Mil-a-8625 spec.