## NSN 4820-00-121-1964

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-121-1964

## Thread Class:

3a all ends

Thread Direction:

Right-hand all ends

## Flow Control Device:

Poppet

## **Disk Loading Method:**

Spring

## Maximum Operating Temp:

450.0 degrees fahrenheit single response

## Connection Style:

Flareless all ends

## Valve Operation Method:

Automatic

## Connection Type:

Threaded external tube all ends

**Mounting Position:** 

Horizontal or vertical

#### Maximum Operating Pressure:

3000.0 pounds per square inch single response

#### Thread Size:

0.875 inches 1st end

#### Seat Angle:

12.0 degrees all ends

#### Material:

Steel comp 416

#### Material Specification:

Qq-s-764, type 416-canceled federal specification single material response

#### Media For Which Designed:

Hydraulic fluid, petroleum base single response

#### Surface Treatment:

Passivate

#### Style Designator:

Straight thru

#### **Thread Series Designator:**

Unf all ends

#### Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

No

# NSN 4820-00-121-1964

Check Valve - Page 2 of 2

Fiig: A530b0

