NSN 4820-00-122-2361

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-122-2361

Pipe Size Accommodated:

1.000 inches 2nd end

Thread Class:

3a 1st end

Thread Direction:

Right-hand 1st end

Flow Control Device:

Disk

Disk Loading Method:

Spring

Connection Style:

Plain (pipe) 2nd end

Valve Operation Method:

Automatic

Connection Type:

Threaded external tube 1st end

Mounting Facility:

Threaded fastener

Features Provided:

Pressure tight outlet side

Thready Qty Per Inch (tpi):

12 1st end

Maximum Operating Pressure:

23.0 pounds per square inch single response

Thread Size:

1.625 inches 2nd end

Seat Angle:

45.0 degrees 1st end

Opening Pressure Setting:

20.0 pounds per square inch

Outside Diameter Tube Accommodated:

1.000 inches 1st end

Material:

Aluminum alloy stem

Media For Which Designed:

Hydraulic fluid, phosphate-ester base single response

Style Designator:

Straight thru

Thread Series Designator:

Un 1st end

Shelf Life:

N/a

NSN 4820-00-122-2361

Safety Relief Valve - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A046b0

