

View Online at <https://aerobasegroup.com/nsn/4820-00-124-5690>

**Pipe Size Accommodated:**

0.750 inches all ends

**Thread Direction:**

Right-hand all ends

**Flow Control Device:**

Piston

**Bonnet Type:**

Inside spring

**Bonnet Attachment Method:**

Threaded

**Disk Loading Method:**

Spring

**Valve Discharge Flow Rate:**

40.0 gallons per minute

**Renewable Seat Ring Type:**

Pressed-in

**Connection Style:**

Plain, optional en (pipe) all ends

**Valve Operation Method:**

Automatic

**Connection Type:**

Threaded internal pipe all ends

**Mounting Facility:**

Bracket

**Features Provided:**

Bonnet packing and pressure tight outlet side

**Adjustable Pressure Range:**

+1000.0 to 4000.0 pounds per square inch

**Maximum Operating Pressure:**

4000.0 pounds per square inch single response

**Thread Size:**

0.750 inches all ends

**Opening Pressure Setting:**

2500.0 pounds per square inch

**Special Features:**

W/screw adjustment for setting relief pressure

**Material:**

Steel flow control device

**Media For Which Designed:**

Oil, hydraulic single response

**Surface Treatment:**

Anodize

**Style Designator:**

Straight through note: to be used for valve bodies of one section only.

**Thread Series Designator:**

Nptf all ends

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A046b0