NSN 4820-00-138-2076



Check Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4820-00-138-2076 **Thread Class:** 3b all ends **Thread Direction:** Right-hand all ends Flow Control Device: Poppet **Disk Loading Method:** Spring **Maximum Operating Temp:** 450.0 degrees fahrenheit single response **Connection Style:** Gasket seal (boss) all ends **Valve Operation Method:** Automatic **Connection Type:** Threaded internal boss all ends **Mounting Position:** Horizontal or vertical Thready Qty Per Inch (tpi): 12 all ends **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 1.062 inches all ends **Outside Diameter Tube Accommodated:** 0.750 inches 1st end Material: Steel comp 303 flow control device and steel comp 304 flow control device **Material Specification:** Qq-s-764, type 303 federal specification 1st material response flow control device and qq-s-763, class 304 federal specification 2nd material response flow control device Media For Which Designed: Oil, lubricating, diester base 2nd response Style Designator: Straight thru **Thread Series Designator:** Unj all ends

Shelf Life:
N/a
Unit Of Measure:
-Demilitarization:
No

NSN 4820-00-138-2076

Check Valve - Page 2 of 2



Fiig:

A530b0