NSN 4820-00-138-9163

Globe Valve - Page 1 of 2

Flow Control Device:



View Online at https://aerobasegroup.com/nsn/4820-00-138-9163

Disk
Bonnet Type:
Outside screw-yoke
Bonnet Attachment Method:
Bolted
Bolt Hole Quantity:
4 1st end
Valve Operation Method:
Manual
Flange Shape:
Round with holes 1st end
Connection Type:
Flange 1st end
Features Provided:
Bonnet packing
Valve Size:
1.000 inches
Maximum Operating Pressure:
150.0 pounds per square inch single response
Criticality Code Justification:
Zzzy
Outside Diameter:
4.250 inches 1st end
Thickness:
0.375 inches 1st end
Bolt Hole Diameter:
0.375 inches 1st end
Bolt Circle Diameter:
3.125 inches 1st end
Flange Face Design:
Raised straight 1st end
Raised Face Height:
0.062 inches 1st end
Raised Face Diameter:
2.000 inches
Material:
Steel
Media For Which Designed:
Water, fresh single response
Style Designator:
Straight through flanged ends

NSN 4820-00-138-9163

Globe Valve - Page 2 of 2



Reference Number Differentiating Characteristics:

Material will be in accordance with ships parts control center activity hx quality control, manufacturing and testing specifications

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A046b0