NSN 4820-00-139-7700



Check Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4820-00-139-7700 **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end Flow Control Device: **Poppet Disk Loading Method:** Spring **Maximum Operating Temp:** 275.0 degrees fahrenheit single response **Connection Style:** Gasket seal (boss) 1st end **Valve Operation Method:** Automatic **Connection Type:** Threaded internal boss 1st end **Mounting Position:** Horizontal or vertical **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 0.438 inches 1st end **Special Features:** Connection ends parallel and perpendicular to fluid flow Material: Steel comp 440c flow control device Media For Which Designed: Hydraulic fluid, petroleum base single response **Surface Treatment:** Anodize **Surface Treatment Specification:**

Mil-a-8625 military specification single treatment response **Style Designator:** Straight thru **Thread Series Designator:** Unf 1st end Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 4820-00-139-7700

Check Valve - Page 2 of 2



Fiig:

A530b0

Mil-std (military Standard):

Mil-a-8625 spec.