## NSN 4820-00-142-1834

Angle Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-142-1834

Flow Control Device:
Disk
Bonnet Type:
Outside screw-yoke
Bonnet Attachment Method:
Bolted
Renewable Seat Ring Type:
Threaded
Bolt Hole Quantity:
6 1st end
Valve Operation Method:
Manual
Flange Shape:
Round with holes 1st end
Connection Type:
Flange 1st end
Features Provided:
Bonnet packing
Valve Size:
1.500 inches
Outside Diameter:
5.938 inches 1st end
Thickness:
0.812 inches 1st end
First Connection Face To Centerline Distance:
5.125 inches
Bolt Hole Diameter:
0.688 inches 1st end
Second Connection Face To Centerline Distance:
5.125 inches
Bolt Circle Diameter:
4.625 inches 1st end
Flange Face Design:
Plain 1st end
Material:
Nickel alloy flow control device
Style Designator:
Angle flanged ends
Test Data Document:
80064-5000s4824-1385673 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacture
drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

As differentiated by body material, seat material, flow control device material

**Reference Number Differentiating Characteristics:** 

## NSN 4820-00-142-1834

Angle Valve - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A046b0