NSN 4820-00-146-5380



Safety Relief Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4820-00-146-5380 **Thread Class:** 3b 2nd end **Thread Direction:** Right-hand 1st end Flow Control Device: **Poppet Disk Loading Method:** Spring **Maximum Operating Temp:** 350.0 degrees fahrenheit single response **Connection Style:** Gasket sea (boss) 2nd end **Valve Operation Method:** Automatic **Connection Type:** Threaded internal boss 2nd end **Features Provided:** Pressure tight outlet side **Maximum Operating Pressure:** 200.0 pounds per square inch single response **Thread Size:** 0.438 inches 1st end Seat Angle: 37.0 degrees 1st end **Opening Pressure Setting:** 45.0 pounds per square inch Material: Aluminum alloy 2024 **Material Specification:** Qq-a-225/6, t4 federal specification single material response Media For Which Designed: Air single response **Surface Treatment:**

Anodize **Style Designator:** Straight through note: to be used for valve bodies of one section only. **Thread Series Designator:** Unjf 1st end

N/a

Shelf Life:

Unit Of Measure:

NSN 4820-00-146-5380

Safety Relief Valve - Page 2 of 2



em			

No

Fiig:

A046b0