NSN 4820-00-146-6042

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-146-6042 Flow Control Device: Disk **Bonnet Type:** Inside spring **Bonnet Attachment Method: Bolted Disk Loading Method:** Spring Renewable Seat Ring Type: Retaining screw **Maximum Operating Temp:** 180.0 degrees fahrenheit single response **Connection Style:** Socket with brazing ring (tube) all ends **Valve Operation Method:** Automatic **Connection Type:** Unthreaded internal tube all ends **Adjustable Pressure Range:** +5.0 to 9.0 pounds per square inch **Maximum Operating Pressure:** 750.0 pounds per square inch single response **Opening Pressure Setting:** 5.0 pounds per square inch **Outside Diameter Tube Accommodated:** 1.000 inches all ends Material: Nickel alloy flow control device **Material Specification:** Qq-n-281 federal specification single material response stem Media For Which Designed: Gas, natural single response **Style Designator:** Straight thru **Furnished Items And Quantity:** 2 brazing ring and 2 tailpiece Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 4820-00-146-6042

Safety Relief Valve - Page 2 of 2



Fiig:

A046b0