## NSN 4820-00-152-1110

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-152-1110

Pipe Size Accommodated:
0.500 inches 2nd end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Disk
Bonnet Type:
Inside screw
Bonnet Attachment Method:
Threaded
Disk Loading Method:
Spring
Connection Style:
Plain, optional en (pipe) 1st end
Valve Operation Method:
Automatic
Connection Type:
Threaded internal pipe 1st end
Features Provided:
Valve stem lock shield and bonnet packing and pressure tight outlet side
Thready Qty Per Inch (tpi):
14 2nd end
Maximum Operating Pressure:
1000.0 pounds per square inch single response
Thread Size:
0.500 inches 2nd end
Opening Pressure Setting:
70.0 pounds per square inch
Material:
Steel stem
Media For Which Designed:
Oxygen, liquid single response
Style Designator:
Angle
Supplementary Features:
Specially processed for use with liquid oxygen
Thread Series Designator:
Npt 1st end
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 4820-00-152-1110

Safety Relief Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A046b0