## NSN 4820-00-160-8671

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-160-8671

## Pipe Size Accommodated:

0.125 inches 1st end

## **Thread Direction:**

Right-hand 1st end

## Flow Control Device:

Poppet

## **Disk Loading Method:**

Spring

## Maximum Operating Temp:

280.0 degrees fahrenheit 2nd response

#### **Connection Style:**

Plain (pipe) 1st end

## Valve Operation Method:

Automatic

#### **Connection Type:**

Threaded external pipe 1st end

## Thready Qty Per Inch (tpi):

27 1st end

## Maximum Operating Pressure:

200.0 pounds per square inch single response

## Thread Size:

0.125 inches 1st end

## **Opening Pressure Setting:**

0.5 pounds per square inch

## Material:

Steel comp 316 seat

## **Material Specification:**

Qq-s-763, class316, cond a federal specification single material response seat

## Media For Which Designed:

Helium 4th response

## Surface Treatment:

Passivate

## Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

#### Style Designator:

Straight thru

## **Thread Series Designator:**

Npt 1st end

Shelf Life:

N/a

## Unit Of Measure:

---

# NSN 4820-00-160-8671

Safety Relief Valve - Page 2 of 2

Demilitarization:

No

Fiig:

A046b0

