

View Online at <https://aerobasegroup.com/nsn/4820-00-163-0226>

Pipe Size Accommodated:

0.250 inches all ends

Thread Direction:

Right-hand all ends

Flow Control Device:

Poppet

Bonnet Type:

Inside screw

Bonnet Attachment Method:

Threaded

Disk Loading Method:

Spring

Maximum Operating Temp:

275.0 degrees fahrenheit single response

Connection Style:

Plain, optional en (pipe) all ends

Valve Operation Method:

Automatic

Connection Type:

Threaded internal pipe all ends

Features Provided:

Bonnet packing and pressure tight outlet side

Adjustable Pressure Range:

+40.0 to 125.0 pounds per square inch

Maximum Operating Pressure:

3100.0 pounds per square inch single response

Thread Size:

0.250 inches all ends

Opening Pressure Setting:

90.0 pounds per square inch

Material:

Steel comp 316 flow control device

Material Specification:

Fedstd66, aisi316/sae30316 federal standard single material response flow control device

Media For Which Designed:

Fuel/oil, hydrocarbon 1st response

Style Designator:

Angle

Thread Series Designator:

Npt all ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A046b0