## NSN 4820-00-167-3628

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-167-3628

Thread Class:
3a 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Poppet
Maximum Operating Temp:
275.0 degrees fahrenheit single response
Connection Style:
External seat for gasket seal (boss) 2nd end
Valve Operation Method:
Automatic
Connection Type:
Threaded external boss 2nd end
Mounting Position:
Horizontal
Maximum Operating Pressure:
3000.0 pounds per square inch single response
Thread Size:
0.750 inches 1st end
Outside Diameter Tube Accommodated:
0.500 inches 1st end
Special Features:
The end connection identified above as the second end is the valve inlet
Material:
Steel comp 303 seat
Material Specification:
Qq-s-764, type 303-canceled federal specification single material response seat
Media For Which Designed:
Hydraulic fluid, petroleum base single response
Surface Treatment:
Passivate
Surface Treatment Specification:
Mil-s-5002 military specification single treatment response
Style Designator:
Straight thru
Thread Series Designator:
Unif 1st end
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 4820-00-167-3628

Check Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A530b0

Mil-std (military Standard):

Mil-s-5002 spec.