NSN 4820-00-177-5976

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-177-5976

Thread Class:
3a all ends
Thread Direction:
Right-hand all ends
Flow Control Device:
Poppet
Disk Loading Method:
Spring
Maximum Operating Temp:
275.0 degrees fahrenheit single response
Connection Style:
Flareless all ends
Valve Operation Method:
Automatic
Connection Type:
Threaded external tube all ends
Mounting Position:
Horizontal or vertical
Maximum Operating Pressure:
3000.0 pounds per square inch single response
Thread Size:
0.438 inches all ends
Seat Angle:
12.0 degrees all ends
Opening Pressure Setting:
5.0 pounds per square inch
Material:
Stainless steel seat
Material Specification:
Ams 5643, type 630 assn standard single material response seat
Media For Which Designed:
Oil, hydraulic single response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Straight thru
Thread Series Designator:
Unjf all ends
Shelf Life:
N/a

NSN 4820-00-177-5976

Check Valve - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A530b0