NSN 4820-00-184-9185

Stop-check Valve - Page 1 of 2

A530b0



View Online at https://aerobasegroup.com/nsn/4820-00-184-9185

Pipe Size Accommodated:
0.750 inches all ends
Flow Control Device:
Disk
Bonnet Type:
Inside screw
Bonnet Attachment Method:
Threaded
Renewable Seat Ring Type:
Threaded
Connection Style:
Socket with brazing ring (pipe) all ends
Valve Operation Method:
Manual
Connection Type:
Unthreaded internal pipe all ends
Mounting Position:
Horizontal
Features Provided:
Bonnet packing
Maximum Operating Pressure:
200.0 pounds per square inch single response
Special Features:
Valve size 0.750 in.
Material:
Nickel alloy r-405 stem
Material Specification:
Qq-c-390, alloy d4 federal specification single material response body
Media For Which Designed:
Steam single response
Style Designator:
Straight thru
Test Data Document:
03950-cid no. 882037225 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in
specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on
certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No
Fiig:

NSN 4820-00-184-9185

Stop-check Valve - Page 2 of 2



Mil-std (military Standard):

Mil-n-894 spec.