## NSN 4820-00-194-3396

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-194-3396

Thread Class:
3a 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Poppet
Disk Loading Method:
Spring
Maximum Operating Temp:
275.0 degrees fahrenheit single response
Connection Style:
Flared (tube) 1st end
Valve Operation Method:
Automatic
Connection Type:
Threaded external tube 1st end
Mounting Position:
Horizontal or vertical
Thready Qty Per Inch (tpi):
20 1st end
Maximum Operating Pressure:
3000.0 pounds per square inch single response
Thread Size:
0.562 inches 2nd end
Seat Angle:
37.0 degrees 1st end
Outside Diameter Tube Accommodated:
0.375 inches 2nd end
Material:
Steel comp 630 flow control device
Material Specification:
Qq-s-764 federal specification single material response seat
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Style Designator:
Straight thru
Thread Series Designator:
Unf 2nd end
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 4820-00-194-3396

Check Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A530b0