NSN 4820-00-194-3396

Check Valve - Page 1 of 2



roup.com/nsn/4820-00-194-3396

Check valve - Fage 1 01 2
View Online at https://aerobasegroup.com
Thread Class:
3a 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Poppet
Disk Loading Method:
Spring
Maximum Operating Temp:
275.0 degrees fahrenheit single response
Connection Style:
Flared (tube) 1st end
Valve Operation Method:
Automatic
Connection Type:
Threaded external tube 1st end
Mounting Position:
Horizontal or vertical

Thready Qty Per Inch (tpi):

20 1st end

Maximum Operating Pressure:

3000.0 pounds per square inch single response

Thread Size:

0.562 inches 2nd end

Seat Angle:

37.0 degrees 1st end

Outside Diameter Tube Accommodated:

0.375 inches 2nd end

Material:

Steel comp 630 flow control device

Material Specification:

Qq-s-764 federal specification single material response seat

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Style Designator:

Straight thru

Thread Series Designator:

Unf 2nd end

Shelf Life:

N/a

Unit Of Measure:

NSN 4820-00-194-3396

Check Valve - Page 2 of 2

Demilitarization:

No

Fiig:

A530b0

