# NSN 4820-00-202-6822

Stop-check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-202-6822

Flow Control Device:

Disk

Bonnet Type:

Inside screw

**Bonnet Attachment Method:** 

Bolted

Renewable Seat Ring Type:

Threaded

**Bolt Hole Quantity:** 

6 1st end

Valve Operation Method:

Manual

Flange Shape:

Round with holes 1st end

**Connection Type:** 

Flange 1st end

**Mounting Position:** 

Horizontal or vertical

Valve Size:

1.500 inches

Maximum Operating Pressure:

500.0 pounds per square inch single response

**Outside Diameter:** 

5.062 inches 1st end

Face To Face Distance:

10.250 inches

Thickness:

0.812 inches 1st end

### **Bolt Hole Diameter:**

0.562 inches 1st end

### Bolt Circle Diameter:

3.938 inches 1st end

### Flange Face Design:

Plain 1st end

Extra Long Reference Number:

4824-3132361revdpc1-4-6t08-11-1-00

Material:

Nickel alloy 400 stem or nickel alloy r-405 stem

Media For Which Designed:

Water, salt single response

Style Designator:

Straight through flanged ends

# NSN 4820-00-202-6822

Stop-check Valve - Page 2 of 2



## **Reference Number Differentiating Characteristics:**

Drawing no.

Shelf Life:

N/a

Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

Fiig:

A530b0