## NSN 4820-00-202-7148

Globe Valve - Page 1 of 2

Flow Control Device:

**Bonnet Type:** 

Outside screw-yoke

Disk



View Online at https://aerobasegroup.com/nsn/4820-00-202-7148

Bonnet Attachment Method:
Bolted
Renewable Seat Ring Type:
Threaded
Bolt Hole Quantity:
7 1st end
Valve Operation Method:
Manual
Flange Shape:
Round with holes 1st end
Connection Type:
Flange 1st end
Features Provided:
Bonnet packing
Valve Size:
2.000 inches
Outside Diameter:
6.500 inches 1st end
Face To Face Distance:
11.500 inches
Thickness:
0.812 inches 1st end
Bolt Hole Diameter:
0.688 inches 1st end
Bolt Circle Diameter:
5.188 inches 1st end
Flange Face Design:
Plain 1st end
Material:
Copper alloy 922 seat or copper alloy 903 seat
Style Designator:
Straight through flanged ends
Reference Number Differentiating Characteristics:
As differentiated by seat material, stem material, flow control device material
Shelf Life:
N/a
Unit Of Measure:

## NSN 4820-00-202-7148

Globe Valve - Page 2 of 2



_		••	• •				
וו	em	ш	112	rız	211	n	٠.

No

Fiig:

A046b0