## NSN 4820-00-202-9005

Globe Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-00-202-9005

Pipe Size Accommodated:
2.500 inches 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Disk
Bonnet Type:
Inside screw
Bonnet Attachment Method:
Threaded
Connection Style:
Plain, optional en (pipe) 1st end
Valve Operation Method:
Manual
Connection Type:
Threaded internal pipe 1st end
Features Provided:
Bonnet packing
Thready Qty Per Inch (tpi):
8 1st end
Maximum Operating Pressure:
maximum operating recodure.
200.0 pounds per square inch 2nd response
-
200.0 pounds per square inch 2nd response
200.0 pounds per square inch 2nd response  Thread Size:
200.0 pounds per square inch 2nd response  Thread Size:  2.500 inches 1st end
200.0 pounds per square inch 2nd response  Thread Size: 2.500 inches 1st end  Material:
200.0 pounds per square inch 2nd response  Thread Size: 2.500 inches 1st end  Material:  Copper alloy
200.0 pounds per square inch 2nd response  Thread Size: 2.500 inches 1st end  Material:  Copper alloy  Media For Which Designed:
200.0 pounds per square inch 2nd response  Thread Size: 2.500 inches 1st end  Material:  Copper alloy  Media For Which Designed:  Water-oil-gas 2nd response
200.0 pounds per square inch 2nd response  Thread Size: 2.500 inches 1st end  Material:  Copper alloy  Media For Which Designed:  Water-oil-gas 2nd response  Style Designator:
200.0 pounds per square inch 2nd response  Thread Size: 2.500 inches 1st end  Material:  Copper alloy  Media For Which Designed:  Water-oil-gas 2nd response  Style Designator:  Straight thru
200.0 pounds per square inch 2nd response  Thread Size: 2.500 inches 1st end  Material:  Copper alloy  Media For Which Designed:  Water-oil-gas 2nd response  Style Designator:  Straight thru  Thread Series Designator:
200.0 pounds per square inch 2nd response Thread Size: 2.500 inches 1st end Material: Copper alloy Media For Which Designed: Water-oil-gas 2nd response Style Designator: Straight thru Thread Series Designator: Npt 1st end
200.0 pounds per square inch 2nd response Thread Size: 2.500 inches 1st end Material: Copper alloy Media For Which Designed: Water-oil-gas 2nd response Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life:
200.0 pounds per square inch 2nd response Thread Size: 2.500 inches 1st end Material: Copper alloy Media For Which Designed: Water-oil-gas 2nd response Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life: N/a
200.0 pounds per square inch 2nd response Thread Size: 2.500 inches 1st end Material: Copper alloy Media For Which Designed: Water-oil-gas 2nd response Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life: N/a Unit Of Measure:
200.0 pounds per square inch 2nd response Thread Size: 2.500 inches 1st end Material: Copper alloy Media For Which Designed: Water-oil-gas 2nd response Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life: N/a Unit Of Measure:
200.0 pounds per square inch 2nd response Thread Size: 2.500 inches 1st end Material: Copper alloy Media For Which Designed: Water-oil-gas 2nd response Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life: N/a Unit Of Measure: Demilitarization: