## NSN 4820-00-203-3987

Globe Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-00-203-3987

Pipe Size Accommodated:
0.375 inches 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Disk
Bonnet Type:
Inside spring
Bonnet Attachment Method:
Integral
Maximum Operating Temp:
366.0 degrees fahrenheit single response
Connection Style:
Plain, optional en (pipe) 1st end
Valve Operation Method:
Manual
Connection Type:
Threaded internal pipe 1st end
Features Provided:
Bonnet packing
Thready Qty Per Inch (tpi):
Thready Qty Per Inch (tpi): 18 1st end
18 1st end
18 1st end  Maximum Operating Pressure:
18 1st end  Maximum Operating Pressure:  150.0 pounds per square inch single response
18 1st end  Maximum Operating Pressure:  150.0 pounds per square inch single response  Thread Size:
18 1st end  Maximum Operating Pressure: 150.0 pounds per square inch single response  Thread Size: 0.375 inches 1st end
18 1st end  Maximum Operating Pressure: 150.0 pounds per square inch single response  Thread Size: 0.375 inches 1st end  Material:
18 1st end  Maximum Operating Pressure: 150.0 pounds per square inch single response  Thread Size: 0.375 inches 1st end  Material: Copper alloy body
Maximum Operating Pressure: 150.0 pounds per square inch single response Thread Size: 0.375 inches 1st end Material: Copper alloy body Style Designator:
Maximum Operating Pressure: 150.0 pounds per square inch single response Thread Size: 0.375 inches 1st end Material: Copper alloy body Style Designator: Straight thru
Maximum Operating Pressure: 150.0 pounds per square inch single response Thread Size: 0.375 inches 1st end Material: Copper alloy body Style Designator: Straight thru Thread Series Designator:
Maximum Operating Pressure: 150.0 pounds per square inch single response Thread Size: 0.375 inches 1st end Material: Copper alloy body Style Designator: Straight thru Thread Series Designator: Npt 1st end
Maximum Operating Pressure: 150.0 pounds per square inch single response Thread Size: 0.375 inches 1st end Material: Copper alloy body Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life:
Maximum Operating Pressure: 150.0 pounds per square inch single response Thread Size: 0.375 inches 1st end Material: Copper alloy body Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life: N/a
Maximum Operating Pressure: 150.0 pounds per square inch single response Thread Size: 0.375 inches 1st end Material: Copper alloy body Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life: N/a
Maximum Operating Pressure: 150.0 pounds per square inch single response Thread Size: 0.375 inches 1st end Material: Copper alloy body Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life: N/a Unit Of Measure:
Maximum Operating Pressure: 150.0 pounds per square inch single response Thread Size: 0.375 inches 1st end Material: Copper alloy body Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life: N/a Unit Of Measure: Demilitarization: