NSN 4820-00-203-7917

Stop-check Valve - Page 1 of 2

Flow Control Device:

Bonnet Attachment Method:

Bonnet Type: Inside screw

Threaded

Disk



View Online at https://aerobasegroup.com/nsn/4820-00-203-7917

Bolt Hole Quantity:
6 all ends
Maximum Operating Temp:
425.0 degrees fahrenheit single response
Valve Operation Method:
Manual
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Mounting Position:
Horizontal or vertical
Valve Size:
2.500 inches
Maximum Operating Pressure:
100.0 pounds per square inch single response
Outside Diameter:
6.125 inches all ends
Thickness:
0.500 inches all ends
First Connection Face To Centerline Distance:
4.500 inches
Bolt Hole Diameter:
0.562 inches all ends
Second Connection Face To Centerline Distance:
4.500 inches
Bolt Circle Diameter:
5.000 inches all ends
Flange Face Design:
Plain all ends
Material:
Nickel alloy stem
Media For Which Designed:
Steam single response
Style Designator:
Angle flanged ends

NSN 4820-00-203-7917

Stop-check Valve - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A530b0