NSN 4820-00-211-4833

Fluid Pressure Regulating Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-211-4833 **Body Material:** Aluminum alloy **Outside Surface Treatment:** Anodized and enamel **Body Style:** Angle Stem Material: Steel, corrosion resisting **Furnished Items:** Automatic relief valve Media For Which Designed: Air **First End Connection Type:** Threaded internal boss First End Style Designator: Gasket seal First End Thread Size And Series/type Designator: 1-1/16-12 unf First End Thread Class: 3b **First End Thread Direction:** Right-hand **Second End Relationship With First End:** Not identical **Second End Connection Type:** Threaded internal boss Second End Style Designator: Gasket seal Second End Thread Size And Series/type Designator: 3/4-16 unf **Second End Thread Class:** 3b **Second End Thread Direction:** Right-hand **Seat Material:** Aluminum alloy Flow Control Device: Cone, bottom guided Flow Control Device Material: Steel, corrosion resisting

2

End Connection Quantity:

NSN 4820-00-211-4833

Fluid Pressure Regulating Valve - Page 2 of 2



| Mounting Facility: |
|---|
| Bracket |
| Outlet Pressure Range: |
| +35.0/+41.0 pounds per square inch |
| Regulation Type: |
| Automatic single stage |
| Valve Stem Design: |
| Single seat |
| Valve Loading Method: |
| Spring |
| Remote Actuation Method: |
| Diaphragm |
| Maximum Inlet Pressure Rating: |
| 150.0 pounds per square inch |
| Filter: |
| Not included |
| Геmpurature Rating: |
| Between -65.0 degrees fahrenheit and 250.0 degrees fahrenheit |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| - |
| Demilitarization: |
| No |
| Filg: |
| A21100 |
| |