

View Online at <https://aerobasegroup.com/nsn/4820-00-214-9996>

Body Material:

Steel, corrosion resisting

Body Style:

Straight thru

Stem Material:

Steel, corrosion resisting comp t416 mfr 26505

Media For Which Designed:

Hydraulic fluid, phosphate-ester base

First End Connection Type:

Threaded internal boss

First End Style Designator:

Gasket seal

First End Thread Size And Series/type Designator:

7/16-20 unjf

First End Thread Class:

3b

First End Thread Direction:

Right-hand

Second End Relationship With First End:

Identical

Seat Material:

Steel, corrosion resisting

Flow Control Device:

Diaphragm

Flow Control Device Material:

Plastic

End Connection Quantity:

2

Renewable Seat Ring Type:

Pressed-in

Mounting Facility:

Bolts

Outlet Pressure Range:

+50.0/+300.0 pounds per square inch

Regulation Type:

Manual single stage

Manual Control Method:

Wheel

Valve Stem Design:

Single seat

Valve Loading Method:

Spring

Maximum Inlet Pressure Rating:

6000.0 pounds per square inch

Outlet Pressure Accuracy Rating:

5.000 pounds per square inch

Filter:

Included

Temperature Rating:

Between -10.0 degrees celsius and 50.0 degrees celsius

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A21100