NSN 4820-00-222-8292

Safety Relief Valve - Page 1 of 1

A046b0



View Online at https://aerobasegroup.com/nsn/4820-00-222-8292

Pipe Size Accommodated:
0.250 inches 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Poppet
Disk Loading Method:
Spring
Maximum Operating Temp:
250.0 degrees fahrenheit single response
Connection Style:
Plain (pipe) 1st endplain, optional en (pipe) 2nd end
Valve Operation Method:
Automatic
Connection Type:
Threaded external pipe 1st endthreaded internal pipe 2nd end
Features Provided:
Pressure tight outlet side
Maximum Operating Pressure:
2500.0 pounds per square inch single response
Thread Size:
0.250 inches 2nd end
Opening Pressure Setting:
25.0 pounds per square inch
Material:
Steel comp 303 stem
Material Specification:
Fsedstd66, aisi303/sae30303 federal standard single material response flow control device
Media For Which Designed:
Air 1st responseacetylene 2nd responseammonia, gaseous 3rd responserefrigerant 12 4th responsehydraulic fluid, silicate-ester base 5th
response
Style Designator:
Straight through note: to be used for valve bodies of separable sections.
Thread Series Designator:
Npt 2nd end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fila: