NSN 4820-00-222-8292

Safety Relief Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-00-222-8292

Pipe Size Accommodated:

0.250 inches 1st end

Thread Direction:

Right-hand 1st end

Flow Control Device:

Poppet

Disk Loading Method:

Spring

Maximum Operating Temp:

250.0 degrees fahrenheit single response

Connection Style:

Plain (pipe) 1st endplain, optional en (pipe) 2nd end

Valve Operation Method:

Automatic

Connection Type:

Threaded external pipe 1st endthreaded internal pipe 2nd end

Features Provided:

Pressure tight outlet side

Maximum Operating Pressure:

2500.0 pounds per square inch single response

Thread Size:

0.250 inches 2nd end

Opening Pressure Setting:

25.0 pounds per square inch

Material:

Steel comp 303 stem

Material Specification:

Fsedstd66, aisi303/sae30303 federal standard single material response flow control device

Media For Which Designed:

Air 1st responseacetylene 2nd responseammonia, gaseous 3rd responserefrigerant 12 4th responsehydraulic fluid, silicate-ester base 5th response

Style Designator:

Straight through note: to be used for valve bodies of separable sections.

Thread Series Designator:

Npt 2nd end

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A046b0