

View Online at <https://aerobasegroup.com/nsn/4820-00-231-2308>

**Flow Control Device:**

Disk

**Bonnet Type:**

Exposed spring

**Bonnet Attachment Method:**

Bolted

**Disk Loading Method:**

Spring

**Bolt Hole Quantity:**

8 2nd end

**Maximum Operating Temp:**

650.0 degrees fahrenheit single response

**Valve Operation Method:**

Automatic or manual

**Flange Shape:**

Round with holes 2nd end

**Connection Type:**

Flange 1st end

**Features Provided:**

Valve stem lock shield and bonnet packing

**Valve Size:**

3.000 inches

**Maximum Operating Pressure:**

600.0 pounds per square inch single response

**Opening Pressure Setting:**

500.0 pounds per square inch

**Outside Diameter:**

8.250 inches 1st end

**Thickness:**

1.250 inches 1st end

**First Connection Face To Centerline Distance:**

8.688 inches

**Bolt Hole Diameter:**

0.875 inches 2nd end

**Second Connection Face To Centerline Distance:**

8.188 inches

**Bolt Circle Diameter:**

9.500 inches 2nd end

**Flange Face Design:**

Raised straight 2nd end

**Raised Face Height:**

0.250 inches 1st end

**Raised Face Diameter:**

8.500 inches 2nd end

**Material:**

Stainless steel stem

**Media For Which Designed:**

Steam single response

**Style Designator:**

Angle flanged ends

**Reference Number Differentiating Characteristics:**

As differentiated by flanged connection sizes

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A046b0