

View Online at https://aerobasegroup.com/nsn/4820-00-242-0165

Body Material:
Aluminum alloy
Outside Surface Treatment:
Anodized
Body Style:
Angle
Stem Material:
Aluminum alloy, qq-a-225/6, alloy 2024
Media For Which Designed:
Air
First End Connection Type:
Threaded internal boss
First End Style Designator:
Gasket seal
First End Thread Size And Series/type Designator:
9/16-18 unjf
First End Thread Class:
3b
First End Thread Direction:
Right-hand
Second End Relationship With First End:
Identical
Seat Material:
Steel, qq-s-763
Packing Material:
Plastic, polytetrafluoroethylene and rubber, mil-r-5001, type 2, class soft, grade a and rubber, synthetic, mil-p-5516, class b and plastic,
mil-p-22296, type 2, class g
Flow Control Device:
Piston, free type
Flow Control Device Material:
Steel, qq-s-763
End Connection Quantity:
2
Regulation Type:
Automatic single stage
Valve Stem Design:
Double seat
Valve Loading Method:
Spring
Remote Actuation Method:
Piston
Maximum Inlet Pressure Rating:
3000.0 pounds per square inch

Fluid Pressure Regulating Valve - Page 2 of 2



Outlet Pressure Setting:

230.0 pounds per square inch

Filter:

Not included

Tempurature Rating:

Between -65.0 degrees fahrenheit and 200.0 degrees fahrenheit

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A21100