

NSN 4820-00-256-6545 Fluid Pressure Regulating Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4820-00-256-6545 **Body Material:** Bronze, astm b61 **Body Style:**

Nickel copper alloy, qq-n-286, class a Media For Which Designed:

Water, salt

Straight thru Stem Material:

First End Connection Type:

Unthreaded internal tube

First End Style Designator:

Socket w/brazing ring

First End Outside Diameter Tube Accommodated:

1.250 inches

Second End Relationship With First End:

Identical

Seat Material:

Nickel copper alloy, qq-n-288, comp a

Flow Control Device:

Disk, flat

Flow Control Device Material:

Plastic, polyurethane

End Connection Quantity:

Renewable Seat Ring Type:

Threaded

Outlet Pressure Range:

+25.0/+60.0 pounds per square inch

Regulation Type:

Manual single stage

Manual Control Method:

Screw

Valve Stem Design:

Single seat

Valve Loading Method:

Spring

Maximum Inlet Pressure Rating:

150.0 pounds per square inch

Filter:

Not included

Tempurature Rating:

165.0 degrees fahrenheit

NSN 4820-00-256-6545

Fluid Pressure Regulating Valve - Page 2 of 2



S	pe	cia	al F	-ea	ıtu	re	S
---	----	-----	------	-----	-----	----	---

Magnetic permeability shall be less than 1.2 before fabrication and not greater than 2.0 after fabrication as measured in a 200 oersted field **Specification Or Standard:**

2 type

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

Yes - demil/mli

Fiig:

A21100