NSN 4820-00-262-6896

Cross Valve - Page 1 of 2

3 type and c style and 150 class



View Online at https://aerobasegroup.com/nsn/4820-00-262-6896

Pipe Size Accommodated:
0.250 inches 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Disk
Bonnet Type:
Inside screw
Bonnet Attachment Method:
Union
Renewable Seat Ring Type:
Threaded
Maximum Operating Temp:
36.0 degrees fahrenheit single response
Connection Style:
Plain, optional en (pipe) 1st end
Valve Operation Method:
Manual
Connection Type:
Threaded internal pipe 1st end
Features Provided:
Bonnet packing
Thready Qty Per Inch (tpi):
18 1st end
Maximum Operating Pressure:
300.0 pounds per square inch 2nd response
Thread Size:
0.250 inches 1st end
Material:
Steel flow control device
Material Specification:
Qq-n-288, comp b federal specification single material response stem
Media For Which Designed:
Water-oil-gas 2nd response
Style Designator:
Cross
Test Data Document:
81349-mil-v-1202 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Thread Series Designator:
Npt 1st end
Specification Or Standard:

NSN 4820-00-262-6896

Cross Valve - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0