NSN 4820-00-262-7020

Globe Valve - Page 1 of 2

Thread Direction:



View Online at https://aerobasegroup.com/nsn/4820-00-262-7020

Right-hand all ends
Flow Control Device:
Disk
Bonnet Type:
Inside screw
Bonnet Attachment Method:
Threaded
Maximum Operating Temp:
406.0 degrees fahrenheit 1st response
End Application:
Grumman; a10 aircraft
Connection Style:
Plain, optional en (pipe) all ends
Valve Operation Method:
Manual
Connection Type:
Threaded internal pipe all ends
Features Provided:
Bonnet packing
Maximum Operating Pressure:
300.0 pounds per square inch 2nd response
Thread Size:
0.250 inches all ends
Special Features:
Renewable composition disc
Material:
Plastic polytetrafluoroethylene packing
Material Specification:
Astm b-62 assn standard single material response seat
Media For Which Designed:
Water-oil-gas 2nd response
Style Designator:
Straight thru
Thread Series Designator:
Npt all ends
Furnished Items And Quantity:
1 handwheel
Specification Data:
59646-mss-s+80 professional/industrial association standard
Shelf Life:
N/a

NSN 4820-00-262-7020

Globe Valve - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A046b0