Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-268-8786

Flow Control Device:

Poppet

Bolt Hole Quantity:

6 all ends

Valve Operation Method:

Automatic

Flange Shape:

Round with holes all ends

Connection Type:

Flange all ends

Mounting Position:

Vertical

Maximum Operating Pressure:

100.0 pounds per square inch single response

Outside Diameter:

6.125 inches all ends

Thickness:

0.500 inches all ends

First Connection Face To Centerline Distance:

6.000 inches

Bolt Hole Diameter:

0.562 inches all ends

Bolt Circle Diameter:

5.000 inches all ends

Flange Face Design:

Plain all ends

Special Features:

Bronze disk, qq-c-390, faced w/nickel copper alloy, qq-n-281 or qq-n-288 not less than 1/8 in.Thk

Material:

Nickel alloy flow control device or copper alloy flow control device

Material Specification:

Qq-n-281 federal specification 1st material response flow control device and qq-n-281 federal specification 2nd material response flow

control device and qq-n-288 federal specification 3rd material response flow control device

Media For Which Designed:

Air 1st response

Style Designator:

Straight thru

Specification Or Standard:

B type and 1 class

Shelf Life:

N/a

Unit Of Measure:

NSN 4820-00-268-8786

Check Valve - Page 2 of 2

Demilitarization:

No

Fiig:

A530b0

