NSN 4820-00-270-5861

Safety Relief Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-00-270-5861

| Pipe Size Accommodated: |
|--|
| 2.500 inches 2nd end |
| Thread Direction: |
| Right-hand 1st end |
| Flow Control Device: |
| Disk |
| Disk Loading Method: |
| Spring |
| Valve Discharge Flow Rate: |
| 15820.0 pounds per hour |
| Connection Style: |
| Plain, optional en (pipe) 2nd end |
| Valve Operation Method: |
| Air |
| Connection Type: |
| Threaded internal pipe 2nd end |
| Mounting Facility: |
| Threaded fastener |
| Thready Qty Per Inch (tpi): |
| 8 2nd end |
| Maximum Operating Pressure: |
| 250.0 pounds per square inch single response |
| Thread Size: |
| 2.500 inches 2nd end |
| Opening Pressure Setting: |
| 250.0 pounds per square inch |
| Material: |
| Iron cast body |
| Media For Which Designed: |
| Steam single response |
| Style Designator: |
| Angle |
| Thread Series Designator: |
| Npt 1st end |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |

A046b0