## NSN 4820-00-270-6089

Angle Valve - Page 1 of 2



Flow Control Device:

Disk

Bonnet Type:

Inside screw

**Bonnet Attachment Method:** 

Threaded

Renewable Seat Ring Type:

Threaded

#### Valve Operation Method:

Manual

#### Flange Shape:

Round 1st end

#### **Connection Type:**

Flange 1st end

## **Features Provided:**

## Bonnet packing

Valve Size:

1.250 inches

#### **Outside Diameter:**

4.500 inches 1st end

## Thickness:

0.812 inches 1st end

## First Connection Face To Centerline Distance:

4.375 inches

## Second Connection Face To Centerline Distance:

4.375 inches

## Flange Face Design:

Recessed with gasket groove 1st end

## **Recess Diameter:**

1.500 inches 1st end

#### **Recess Depth:**

0.031 inches 1st end

#### Material:

Copper alloy 922 flow control device

## Style Designator:

Angle flanged ends

## **Test Data Document:**

81316-s4824-935038 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,

etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

#### Shelf Life:

N/a

#### Unit Of Measure:



# NSN 4820-00-270-6089

Angle Valve - Page 2 of 2

Demilitarization:

No

Fiig:

A046b0

